BIOPOLYMERS

ORIGINAL RESEARCH ON BIOMOLECULES

Volume 33 • 1993

EDITOR

Murray Goodman, *Department of Chemistry, University of California, San Diego, La Jolla, California 92093*

EDITORIAL BOARD

Kenneth J. Breslauer, *Department of Chemistry, Rutgers University, Piscataway, New Jersey, 08855-0939*
C. Allen Bush, *Department of Chemistry and Biochemistry, University of Maryland, Baltimore, Maryland 21228*
David A. Case, *Department of Molecular Biology, MB2, Research Institute of Scripps Clinic, La Jolla, California 92037*
Charles M. Deber, *Biochemistry Department, Hospital for Sick Children, Toronto, Ontario M5G 1X8, Canada*
Ken A. Dill, *Department of Pharmaceutical Chemistry, University of California, San Francisco, San Francisco, California 94143*
Paul J. Hagerman, *Departments of Biochemistry, Biophysics and Genetics, University of Colorado Medical Center, Denver, Colorado 80262*
David R. Kearns, *Department of Chemistry, University of California, San Diego, La Jolla, California 93093*
David E. Wemmer, *Department of Chemistry, University of California, Berkeley, California 94720*

FOUNDING EDITORS

Elkan Blout, *Harvard Medical School, Boston, Massachusetts 02115*
Ephraim (Katchalski) Katzir, *The Weizmann Institute of Science, Rehovot, Israel*

ADVISORY BOARD

E. D. T. Atkins
R. L. Baldwin
E. Benedetti
D. L. Beveridge
V. Bloomfield
J. S. Cohen
D. M. Crothers
D. Eisenberg
E. L. Elson
G. Fasman
L. Gierasch
A. Hagler
W. C. Johnson
R. Kaptein
I. L. Karle
M. Karplus
H. Kessler
P. Kollman
S. Krimm
I. Kuntz, Jr.
W. L. Mattice
J. A. McCammon
T. Miyazawa
L. Moroder
F. Naider
W. Olson
E. Peggion
M. T. Record, Jr.
G. Rose
S. Sakakibara
J. Schellman
H. A. Scheraga
P. Schiller
J. D. Simon
A. Stone
I. Tinoco
G. J. Thomas, Jr.
G. Van Binst
K. Wüthrich
B. H. Zimm

an Interscience® Publication
published by JOHN WILEY & SONS

©1993 by John Wiley & Sons, Inc.

Biopolymers (ISSN: 0006-3525) Volume 33 is published monthly, one volume per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158

Copyright © 1993 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 27 Congress Street, Salem, MA 01970, (508) 744-3350, fax (508) 745-9379. Second-class postage paid at New York, NY, and at additional mailing offices.

The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by law.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price: (Volume 33, 1993): $1530.00 in US, $1650.00 in Canada and Mexico, $1695.00 outside North America. All subscriptions outside US will be sent by air. Subscriptions at the personal rate are available only to individuals. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call 212-850-6645.

Postmaster: Send address changes to *Biopolymers*, Susan Malawski, Director, Subscription Fulfillment and Distribution, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, N.Y. 10158.

Advertising Sales: Inquiries concerning advertising should be forwarded to Roberta Frederick; Advertising Sales, John Wiley & Sons, 605 Third Ave., New York, NY 10158; (212) 850-8832. Advertising Sales, European Contact: Michael Levermore, Advertising Sales Manager, John Wiley & Sons, Ltd. Baffins Lane, Chichester, Sussex PO 19 IUD, England.

Other Correspondence: Address all other correspondence to: Biopolymers, Publisher, Interscience Division, Professional, Reference, & Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

Manuscripts should be submitted to the Editor, Murray Goodman, Department of Chemistry, B-043, University of California, San Diego, La Jolla, CA 92093. *Information for contributors* appears in the first and last issue of each volume.

The contents of this journal are indexed in the following: *Applied Mechanics Reviews, Biological Abstracts, Chemical Abstracts, Chemical Titles, CABS-Current Awareness in Biological Sciences, Current Contents/Life Sciences, Current Contents/Engineering Technology and Applied Sciences, Excerpta Medica, Index Medicus,* and *Science Citation Index.*

This journal is printed on acid-free paper

Biopolymers

Subject Index to Volume 33

A dehydropeptide, 1111
Ab initio, 1591
Absorption spectra, photoinduction of DNA–protein cross-linking measured by, 239
Acetylcholine, 961
Acetylcholine receptor, 961
Adenine binding study of, the ricin A-chain by spectroscopy, 1687
Aggregation in solution, 521
Aib, helical peptide containing, 995
Aib peptide, 401
Aib-containing peptide, 1337
Alanine-based peptides sequence dependence of α-helical stability, 971
Alginate aqueous solution, Ca(II), Cu(II), Co(II), Mn(II), cross-link formation, 703
Alkyl-linked DNAs, 1765
α-amino acids, 1061
α-aminoisobutyric acid peptides, 865
α-aminoisobutyric acid, use in synthetic peptide helix models, 389
α-carbon, 1061
α-helical segment, 1271
α-helix, 255, 1195, 1337
Alpha helices, 1481
AMBER 3a program, 1811
Amide bonds, 1135
Amino acid aggregation, 283
Amino acid conformation, 283
Amino acid–succinate interactions, 283
Amino group analysis, detection of amino derivatised polysialic acid by, 453
AMP, 1791
Amphiphilicity, 1195
Amylose, crystallographic studies, 363
Amylose, molecular mechanics calculation with constraints, 363
Amylose, starch–iodine complex, 363
A-NaDNA, 633
Analogous, 1073
Analogues, 1037, 1149
Analysis, of SEC elution profiles for the ribonuclease conformational transition in guanidine hydrochloride, 135
Anion binding, detected by NMR, 1709
Anionic melittin analogs, 305
Antiamoebin, 401
Antifreeze molecules, 1481
Antifreeze polypeptides, 1481
Antlion method, 293
Apolar oligopeptide, 1337
Application to loops in bpti, 1271
Ascomycin, 535
Assignments, 535
Asymmetric synthesis, 1073
Atomic flexibility, 735
Atomic friction coefficients, methods for calculation of, 1423
Auto-cooperative binding, complex formation, 703
Azapeptides, 1051
AzaProline residue, 1051

$\bar{B}$—$\bar{A}$ transition in DNA, 37
Backbone conformation, 1093
Backbone, virtual bond modeling of, 329
Backbone/side chain interaction, 665
Base pair, 351
Base pairs, 797
Base tilt, 245
16 Base-pair $(CG)_8$ sequence, 1725
B-DNA structural analysis, 12- and 14mers containing GAATTC, 459
B-DNA structural analysis, by molecular dynamics simulations, 459
B-DNA structural analysis, structural predictions of, 459
β-alanine, 621
β-strand segment, 1271
β-turn, 665
β-turn conformation, formed by (αMe)Phe homo-peptides, 1617
Beta-turns, 201
Binding of adenine, ricin A-chain with, at acidic pH, 1687
Bioactive peptides, 1083
Biologically active peptides, 1073
Biophysical scales, 293
Blood substitutes, 1803
Bovine serum albumin, influence of hydration on conformation of, 1871
Bovine serum albumin, solid state ^{13}C NMR spectroscopy of, 1871
Bradykinin agonists and antagonists, 769
Bradykinin analogs, 769
Bradykinin antagonists, 1237
Branched chain polypeptides, 873
Brownian dynamics, 1519
Building blocks, 1037
Bulged cytosine, in a deoxyribooligonucleotide, 27

^{13}C spectra, 1365
Ca^{2+} titrations, 497

Calcium, effect of in promoting laminin aggregation, 475
Calculation and determination of dipole moment of proteins, 59
Canonical A form and Z form, 1715
Capillary gel electrophoresis, of poly(L-Glu), 1299
Capillary gel electrophoresis, split peaks, 1299
Carbonic anhydrase hydrolase activity, C_2N_2 as selective probe for, 687
Carboplatin, 1631
Cardiotoxin, snake venom protein; cytolytic activity, 1659
Catechin, 275
Cationic drugs, 1415
CD spectra, 1111
CD spectroscopy, 1415
CD studies, 1019
Chain stiffness, 561
CHARMM force field, 1843
Chemical evolution, 283
Chemotactic peptide analog, synthesis, conformation, and activity of, 437
Chiral discrimination, 933, 1377
Chloroquine/quinacrine binding to DNA, 887
Circular dichroism, 497, 665, 927, 1195, 1779
Circular dichroism, calculated, of Δ^ZPhe-peptides, 1173
Circular dichroism, of dehydropeptides, 1
Circular dichroism, of nucleic acids, 315
Circular dichroism, of photochromic polypeptides, 1505
Circular dichroism studies, in trifluorethanol/water mixtures, 389
Circular dichroism studies, of collagen-model peptides, 1695
Circular dichroism studies, of partially hydrolyzed xanthan, 151
Circular dichroism studies, of poly(L-Lys), 1553
Circular dichroism studies, of synthetic peptide helix models, 389
Circular dichroism studies, of uteroglobin fragments, 1877
Circular dichroism study, of poly(L-Glu), 1299
Cis Phe peptide bond, 693
Cisplatin, 1631
cis-trans isomerism, 915
Cis–trans isomerization, 781, 933
C^{α}-Methyl phenylalanine, homo-peptides from, 1617
CMP, 1791
Coil-helix transitions, 985
Collagen, peptide of, 521
Combinatory map, 1389
Comparison of flexibility of collagen type I and type IV, 897
Complexation, 305
Compressibility, 11
Computer simulation, 329
Computer simulations, 903
Computer-aided modelling, of peptides and the interaction between peptide and *t*-Boc-aminoacids, 933
Concerted helix motions, 735
Condensation, 1819
Conformation, 75, 275, 401, 479, 665, 961, 1591
Conformation of deoxyribose in polynucleotides, sugar ring flexibility in the process of, 37
Conformation of D/L-Iva-L-pro sequence, 1207
Conformation of tachykinin peptides, 1901
Conformational analysis, 971, 1101
Conformational analysis, by ^{1}H-NMR, IR and circular dichroism studies, 1173
Conformational analysis, of polypeptides, 173
Conformational changes, 827
Conformational considerations, 1073
Conformational constraints, 1135
Conformational energy computations, 1061
Conformational energy minimization, 329
Conformational mobility, 1093
Conformational search, by dynamic programming, 173
Conformational similarity between Aib and Iva peptides, 1207
Conformational space, 1003
Conformational studies, 305
Conformational transitions, 497, 903
Continuum models, 1851
Convergence temperatures, denaturation entropy and enthalpy, 1185
Correlation functions, 1519
Correlation length, 1389
Correlation matrix, 1605
COSY, correlated spectroscopy, 1659
Counterion concentration, 1029
Counterions, 1537
Coupling constant, 275
Coupling constants, 1003
Coupling constants, averaged values found by MD, 575
Coupling constants, values for chair, boat, and twist boat forms, 575
Cross polarization magic-angle spinning ^{13}C NMR spectroscopy of bovine serum albumin, 1871
Cross polarization magic-angle spinning ^{13}C NMR spectroscopy of lysozyme, 513
Crystal state conformation, 1051
Crystal structure, 275, 335, 401, 1337
Crystal structure analysis, molecular conformation of Dnp-(L/D)-Val-Aib-Gly-Leu-pNA by X-ray single crystal analysis of tetrapeptide containing Aib residue, 813

Crystal structure determination, 1207
Crystal structure, of didehydrophenylalanine pentapeptide, 209
Crystal structures, 1101
Curved DNA, 639
Cyanogen, ethanedinitrile, salt bridge conversion to covalent links in carbonic anhydrase, 687
Cyclic enkephalins, computer assisted conformational analysis, 647
Cyclic enkephalins, structure activity relationship, 647
Cyclic oligopeptides, 1093
Cyclic peptide, 933
Cyclic peptide flexibility, simulation analysis, 1249
Cyclic peptides, 201
Cyclic peptides, *cis–trans* isomerization, 693, 1377
Cyclic pseudopentapeptides, 1101
Cyclobutane ring conformation, substituent effects, 713
Cyclobutane ring flexibility, substituent effects, 713
Cyrosolvents, 915
Cystine peptides, 865
Cystinyl cycloheptapeptide, 1083

2D NMR, 915
$d(C_nGCG_n)$, 1715
Decay of tryptophan fluorescence anisotropy, 1423
Deconvolution, 665
Deformations, 335
Degree of polarization, of optically anisotropic sphere, 69
Dehydro amino acids, 209
Dehydro residues, 1111
Dehydroalanine, 1811
Dehydropeptides, conformation in solution of, 1
Dehydropeptides, synthesis of, 1
Dehydrophenylalanine containing peptides, 209
Dehydrophenylalanine, peptides containing, 1
Dehydrophenylalanine-possessing peptides, conformations, 1173
δ-opioid receptor, bioactive structure, 647
Denaturation, 797, 1819
Denaturation thermodynamics, hydrophobicity and, for model proteins, 1185
Denaturation to renaturation, 193
Deoxyadenosine, molecular dynamics simulations on, 1167
Deoxyadenosine, molecular modeling of, 1167
Deoxyadenosine, transition pathways for, 1167
Depolarization ratios of Raman bands, 1791
Dermenkephalin, 1889
Design of synthetic, biodegradable carriers for drug delivery, 873
Design of synthetic, biodegradable carriers for vaccine development, 873
Detection of interactions, between functional groups and metal ions, by ^{13}C nuclear magnetic resonance, 703
Deuterium exchange of purine C8H, 943, 943
Dextran, benzene tetracarboxylate-substituted, 1803
Dextran, conjugated to oxyhemoglobin, 1803
Diagonalization of large matrices, 599
4′,6-Diamidino-2-phenylindole, 1677
Diastereomer of tetrapeptide, containing Dnp and pNA chromophores, 813
Dielectric constant of protein solutions, 59
Dielectric functions, 1537
Differential scanning calorimetry (DSC), of partially hydrolyzed xanthan, 151
Diffusion–collision model, 1519
Dinucleotide monophosphates, 75
Dipole moment calculation for the various deoxyribose puckered states, 37
Dipole moment of small proteins, 59
Discrimination from α-helix, 995
Disulfide bridge, 1591
Disulfide bridged peptides, 865
DNA, 75, 147, 377, 797, 1537, 1725, 1819
DNA bases, 1851
DNA chain overstretching, during pulsed field gel electrophoresis, 1359
DNA crystal, 1715
DNA dumbbell, and single strand studied by, 1779
DNA dumbbells, optical melting studies of, 1765
DNA dumbbells, with alkyl end-loops, 1765
DNA, fluctuational opening of, 351
DNA hydration, 117
DNA intercalating agents as effective inducers of cross-linking, 239
DNA intercalation, 887
DNA, melting, 351
DNA oligonucleotides, 943
DNA orientation, 1225
DNA, suprahelical organization, 1415
DNA triplex, formed with a, 1779
2D-NMR, proteins spectra, solution structure determination, 1659
2D-NMR, two-dimensional Nuclear Magnetic Resonance, analysis of, 1659
Docking models, 933
Double helical structure of amylose, central cavity, 363
Double helical structure of

amylose, energetic stability, 363
Double helical structure of amylose, hydrogen bonds, 363
Double helical structure of amylose, left-handed–right-handed, 363
Double helical structure of amylose, parallel-stranded–antiparallel-stranded, 363
DQF-COSY, double-quantum filtered COSY, 1659
Drugs, 1051
dTMP, 1791
Dynamic light scattering, 551, 1643
Dynamic light scattering (DLS), 409, 1747
Dynamic light scattering, intramolecular interference effects in, 1757
Dynamic light scattering, of small rings, 1757
Dynamics, 275
Dynamics (MD) simulations, 1123
Dynamics of DNA, during pulsed field gel electrophoresis, 1347, 1359
Dynamics of large proteins, 599
Dynamics of water molecules in hydrated A-DNA oriented fibers, 633
Dynemicin-A-DNA cleavage mechanism, 377

Effective charge of DNA in solution, 1347
Elasticity theory, 639
Electric birefringence study, of separation of DNA in agarose gels, 1347, 1359
Electron microscopy, 561
Electrostatic interaction of sugar pucker with phosphate groups and counterions, 37
Electrostatics, 1537
Elongational flow birefringence, 897
Emerimicin, 401
Empirical model, for simulation of size exclusion chromatographic elution profiles, 127
Energetics of local region, 1271
Energy, 1591
Energy minimization, 75
Energy, minimization of, 329
Enthalpy, 753
Entropy, 753
Equilibrium model, 1643
Excluded volume, 491
Extracellular matrix proteins, 475
Extrahelical cytosine, in an A·T tract, 27

Filterable aggregate (FA), 953
FK506 binding protein, 535
Flexible macromolecules, 409
Flory–Huggins interaction entropy and enthalpy in elastogenesis, 743
Fluctuations (role of) in the self-assembly of bioelastomeric structures from solutions, 743
Fluorescence, 1431
Fluorescence microscopy, 45
Fluorescence quenching, 1677
Fluorescence spectra, photodegradation of tryptophan characterized by, 239
Fluorescent lipids, 45
Folding mechanism, 903
Formation of molecular complexes, 1377
Formyltripeptide, crystal structure and solution conformation of, 437
FTIR spectroscopy, 1819
Fused $\beta\gamma$-turn, 1443

γ-turn, 621
Gel permeation chromatography, 561
Generalized Langevin equation, 1423
Geometry, 479
Gibbs function, 753
Global minimization, of molecular mechanics potential functions, 173
Global structural homologies, 1829
Globular proteins, 11
GMP, 1791

^{1}H NMR of d(CGCGAATTCGCG)$_2$, 943
^{1}H NMR spectroscopy, 1237
Heat capacity, 753
Helical conformation, 1901
Helical peptides, conformationally constrained, 1173
3_{10}-Helices, formed by (αMe)Phe homo-peptides, 1617
3_{10}-Helix, 401
3_{10}-helix, 1337
Helix conformation, stabilization by trifluoroethanol, 389
Helix conformation, stabilization in synthetic peptide models, 389
Helix dipole model, 1195
Helix formation, 491
3_{10} helix, in model dehydropeptides, 209
3_{10}-helix, observation from ROESY experiments, 995
3_{10}-Helix, reversal of screw sense of, 1
Helix screw sense, 1061
Helix stability, in water and water-trifluoroethanol mixtures, 1159
Helix stabilization, 985
Helix structure, 335
3_{10}-Helix structure, presence of, in dehydropeptides, 1
Helix unfolding, 827
Helix–coil transition, 1029
Helix-coil transitions, 971
Helix–coil transitions, 1519
Hemoglobin, normal adult, 735
Hemoglobin, sickle, 735
High-frequency dielectric dispersion, 1029
^{1}H-nmr spectroscopy, 1061, 1149
Homologous proteins, 839
Homo-peptides, from (αMe)Phe, 1617

($^2H_4$)TSP, sodium 3-trimethylsilyl-(2,2′,3,3′-^{2}H)propionate, 1659
Human hemoglobin, 1803
Human immunodeficiency virus (HIV) proteases, 1405
Hydration, 797
Hydrodynamic, 1225
Hydrodynamic diameter, 1643
Hydrodynamic measurements, 409
Hydrogen bond, 797
Hydrogen bond rupture by solvation, 827
Hydrogen bonds, 1337
Hydrophobic hydration, effect of, on protein stabilities, 1185

Iduronate (IdoA) ring conformations, interchange between, 575
Iduronate (IdoA) ring conformations, molecular dynamics simulation, 575
Iduronate (IdoA) ring conformations, relative proportions found by NMR, 575
Immunosuppressant, 535
Incipient formation of β-bulge, 163
Inclusion compound, 283
Individual site-binding data, analysis of, 1327
Infrared spectroscopy, 201
Instability, spinodal line and critical behavior of solutions of bioelastomers, 743
Insulin, 927, 1643
Integrated optics studies, of protein binding at a lipid membrane surface, 475
Interaction, 1431
Interaction between peptide and *t*-Boc-aminoacids, 933, 933
Interaction complexes, of poly(L-Lys), 1553
Interaction complexes of, poly(L-Lys), poly(D-Lys), poly(L-Glu), poly(L-Leu-L-Leu-L-Lys), poly(L-Leu-L-Leu-L-Asp), 1553
Interaction mechanisms between peptide and *t*-Boc-aminoacids, 933
Intercalation, 1431
Interference effects, in dynamic light scattering, 1757
Interference effects, of small rings, 1757
Intermolecular hydrogen bonding, 933
Intermolecular motions, 725
Intersegment energy, 1271
Intrasegment energy, 1271
Intrinsic optical anisotropy, of southern bean mosaic virus, 69
Inverse γ-turn, 1443
IR, 1461
IR studies, on the solid state secondary structure, of hydrophobic sequential polypeptides, 1477
Isotropic reorientational motion, determination of the rotational correlational time, 1581
Isotropic reorientational motion, of globular proteins, 1581

κ-Carrageenan, anion binding to, 1709
κ-Carrageenan, helix-coil transition, 1709

Laminin–nidogen, 475
Landscape, 1389
Langmuir–Blodgett films, 45
Lattice, modeling the dynamics of, 329
Lattice vibrations, 725
Lifson–Roig theory, 1605
Light absorption, 1431
Light scattering, 561
Linear aggregates, 551
Linear dichroism, 245, 1225, 1431, 1677
Lipid dynamics, 45
Liposomes, potential as interface between solvent incompatible compounds, 453
Local region, 1271
Long time peptide dynamics, 1423
Long-range electron transfer (LRET), 781
Loop conformations, 1271
Low energy conformations, 1843
Low frequency molecular vibrations, 599
Low oxygen affinity conjugates, 1803
Lysozyme, influence of hydration on conformation of, 513
Lysozyme, solid state ^{13}C NMR spectroscopy of, 513

Macromolecular cyclization, 193
Magnetic relaxation, off-resonance rotating frame spin-lattice, 1581
Magnetic relaxation, rotational correlation time, 1581
Main immunogenic region (MIR) analogues, 1123
Markers modes of the canonical A form, 1715
Mean-field approximation (validity of) in describing solvent-induced interactions and concentration fluctuations in solutions of bioelastomers, 743
Melittin, 293, 491
Melting, 797
Membrane proteins, 255
Mesh size of agarose gels, 1347
Metal ions, 1819
Methylated polypeptides, 491
Metropolis sampling, in Monte Carlo simulation, 1307
Micro FTIR, micro Raman studies, 1715
Microdomains, 1519
Microwave spectrometry, 147
Mixed counterion systems, 985
Model for methylated proteins, 305
Model of the motion of the

DNA chain, during pulsed field gel electrophoresis, 1359
Modeling, of protein backbones on lattices, 329
Modelling, 479
Molar mass, 1643
Molecular chains, 1829
Molecular dynamics, 201, 665, 1537, 1567
Molecular dynamics (MD), 735, 1003, 1083
Molecular dynamics, of iduronate containing trisaccharide (GlcNAc-IdoA-GlcNAc), 575
Molecular dynamics, of iduronate methyl glycoside (IdoAOMe), 575
Molecular dynamics, sampling phase space by, 1307
Molecular dynamics simulation, 335, 377
Molecular dynamics simulation, of helix stability in mixed solvents, 1159
Molecular dynamics studies, of a series of cyclic peptide analogs, 1249
Molecular interactions, 1377
Molecular mechanics, 769, 1591
Molecular mechanics and molecular dynamics, 693
Molecular modeling, 219, 231, 1377
Molecular recognition, 1377
Molecular surfaces, surface analysis, 219, 231
Molecular surfaces, surface characterization, 219, 231
Molecular weight distribution, 561
Monoclonal anti-MIR antibody, 1123
Monte Carlo calculations, 75
Monte Carlo chain growth method, use of experimental observation in, 1843
Monte Carlo simulated annealing, 1271
Monte Carlo simulation, 329
Multidimensional NMR, 535
Multisite enzymes, 1405
Myasthenia gravis (MG), 1123
Myoglobin, immunogenic peptide of, 1159

N^{α}, N^{ϵ}-trimethylated melittin (permethylated melittin), 305
Nascent helix, 1443
Neural networks, 293
Neuropeptide Y, 1195
Neurotoxin, 961
NF-M neurofilament fragments, 497
N-formyl-methionyl-(*Z*)-2,3-didehydroleucyl-phenylalanine, methyl ester, 437
N-glycopeptides, 665
NMR, 107, 665
NMR and helical peptides, 1567
NMR, composite pulses, 1709
NMR, logitudinal relaxation time, 1709
NMR of, 943
NMR spectra, 839
NMR spectroscopy, 1287, 1443
NMR spectroscopy, ^{13}C relaxation times, 575
NMR spectroscopy, carbon and proton, of peptides, 521
NMR spectroscopy, coupling constants, 575
nmr studies, 865
NMR studies, 933
NMR, transverse relaxation time, 1709
NOE, nuclear Overhauser effect, 1659
NOESY, NOE spectroscopy, 1659
Nonapeptide, 401
Nonaqueous solvents, 927
Nonbonded interactions, 725
Noncoded amino acids, 1811
Normal mode analysis, of cyclic peptides, 1249
Normal modes, 599
N-*t*-butoxycarbonylproline N′-methylamide, complexes of, with phenol derivatives, 659
N-*t*-butoxycarbonylproline N′-methylamide, influence of hydrogen bonding on the conformation of, 659
N-*t*-butoxycarbonylproline N′-methylamide, infrared spectra, 659
N-*t*-butoxycarbonylproline N′-methylamide, thermodynamic data, 659
N-telopeptide, 1443
N-terminal analog peptide, 401, 401
Nuclear magnetic resonance line-shape studies, 1093
Nuclear magnetic resonance studies, of oligonucleotide containing unpaired base, 27
Nuclear magnetic resonance studies of purine C8H exchange, 943
Nuclear magnetic resonance studies, of uteroglobin fragments, 1877
Nuclear Overhauser effect, 1901
Nuclear Overhauser effect restrained molecular dynamics, 1149
Nucleic acid analysis, platinum drugs, using, 1631
Nucleic acid analysis, studies of interactions with, 1631
Nucleic acids, 479
Nucleotides of RNA and DNA, 1791

Oligomers, 1643
Oligonucleotides, 335
Optical rotation studies, of partially hydrolyzed xanthan, 151
Order parameters, 1567
Ordinary–extraordinary (o–e) transition, 953
Organic solvents, 1003
Orientation of the DNA chain, during electrophoretic transport, 1347, 1359
Orientational correlation time, 1423
Oriented biopolymers, structural analysis of by solid state ^{15}N NMR, 847

Ovalbumin, 551
Overshoot, 1359

pEMAGGFDEKAGGAQL-GVMQ-NH_2, 1443
Peptide conformation, 201, 621, 865
Peptide conformation in solution, 769, 1237, 1443
Peptide design, synthesis of, conformationally restricted peptides, 209
Peptide stability, 1605
Peptide structure, 1481
Peptide structure and dynamics, 521
Peptide structures, 1003
Peptides, 1481
Peptides, containing dehydroaminoacidic residues, 1
Peptides, correlating properties, 1405
Peptidomimetics, 1073
Persistence analysis, 335
Persistence length, 1225
Persistent volume proteins, in size exclusion chromatography, 127
pEYEAYDVKSGVAGG-NH_2, 1443
Phase space, of molecular systems, 1307
Photochromic polypeptides, 1505
Photochromism, of spiropyran-containing polypeptides, 1505
Photodimer conformation, substituent effects, 713
Photodimer flexibility, substituent effects, 713
Photomodulation, of polypeptide conformation, 1505
Photon correlation spectroscopy, particle size determination by, 453
Photoresponsive polymers, light-induced conformational changes in, 1505
Poisson–Boltzmann equation, 1029
Polarization effects, 1851
PolyA · polyU, 315
Poly[d(G-m^5C)$_2$], 1677
Poly(D-Leu-L-Ile-L-Ile-L-Leu), Solid state secondary structure of, 1477
Polyelectrolyte systems, 953
Poly(L-Ala), 1843
Poly(L-Ala-L-Ile-L-Ile-L-Leu), Solid state secondary structure of, 1477
Poly(L-arginine · HCl), 753
Poly(L-asparagine), 753
Poly(L-cysteine), 753
Poly(L-Glu), capillary gel electrophoresis, 1299
Poly(L-Glu), circular dichroism study, 1299
Poly(L-Glu), interaction with spermine, 1299
Poly(L-glutamic acid), containing spiropyran units, 1505
Poly(L-glutamine), 753
Poly(L-histidine), 753
Poly(L-histidine · HCl), 753
Poly(L-isoleucine), 753
Poly(L-leucine), 753
Poly(L-Leu-L-Ile-L-Ile-Gly), Solid state secondary structure of, 1477
Poly(L-Leu-L-Ile-L-Ile-L-Leu), Solid state secondary structure of, 1477
Poly(L-Leu-L-Ile-L-Leu), Solid state secondary structure of, 1477
Poly(L-Lys), substituted with amino acids, 873
Poly(L-Lys), substituted with X-DL-Ala$_m$ side chains, 873
Poly(L-lysine · HBr), 753
Poly(L-methionine), 753
Poly(L-phenylalanine), 753
Poly(L-proline), 753
Poly(L-serine), 753
Poly(L-threonine), 753
Poly(L-tryptophane), 753
Poly(L-tyrosine), 753
Poly(sodium-L-aspartate), 753
Poly(sodium-L-glutamate), 753
Polymorphism of oligonucleotide crystals, 1715
Polymorphonuclear leukocyte (PMN) functions, selection of, 437
Polynucleotide, 1431
Polynucleotides, 245
Polyols, 491
Polypeptide continuity constraint, 1271
Polypeptide segment, 1271
Potential energy calculations, of poly(L-Lys), 1553
Preference functions, hydrophobicity, 255
Preferential protein solvation, equivalence of excluded volume treatment of, 1629
Primary structure–conformation correlation, 873
Principal axis orientation of Raman scattering tensors, 1791
Proanthocyanidin, 275
Proline helix, 1195
Proline peptide bonds, 781
Proline-rich polypeptides, 1019
Protein backbones, 1829
Protein, chemical modifications of single side chains, 1659
Protein conformational changes, influence of hydration on, 513, 1871
Protein denaturant, dependent baseline changes in size exclusion chromatography, 127
Protein, docking, 219, 231
Protein folding, 293, 1271, 1519
Protein folding, α-helices, 163
Protein folding, computer simulation of, 329
Protein folding, observed by size exclusion chromatography, 127
Protein, folding, Protein, activity, 1659
Protein hydration, solid state ^{13}C NMR spectroscopic studies of, 513, 1871
Protein, molecular modeling, 219, 231
Protein rotational diffusion, determination by ^{13}C off-

resonance rotating frame spin-lattice relaxation, 1581
Protein rotational diffusion, effect of internal motion, 1581
Protein rotational diffusion, of globular proteins, 1581
Protein, shape analysis, 219, 231
Protein solutions, description of thermodynamic nonideality in, 1629
Protein stabilization by inert solutes, preferential solvation and excluded volume concepts of, 1629
Protein stabilization by inert solutes, thermodynamic analysis of, 1629
Protein–DNA interaction, energetics of, 1327
Proteins, 107, 1461
Pseudopeptide analogues, 1135
Pseudorotation, boat/twist-boat interconversion, 575
Pseudorotation potential energy profile of deoxyribose in the $\bar{B}$- and $\bar{A}$-helicies, 37
Pseudorotation, study of by molecular dynamics, 575
Pulsed field gel electrophoresis, dynamics of DNA during, 1347, 1359
Purine C8 proton exchange AT tracts, 943

Quantitative analysis, of a natural opioid peptide, 1889
Quinacrine, 1431

Ramachandran's plot, 1843
Random RNA sequence, 1389
Rayleigh scattering of Mössbauer radiation, 633
RCT-COSY, relayed coherence-transfer COSY, 1659
Reaction kinetics of drug/nucleotide binding, 1631
Receptor selectivity, 1889
Refolding loops in proteins, 1271
Relation between conformational difference of diastereomer and HPCL separation, 813
Repetitive domain, 1019
Reptation, biased, 1347, 1359
Residues, 839
Resonances, 147
Restrained energy minimization, 1083
Restrained molecular mechanics calculations, 1443
Ribonuclease conformational transition, comparison of spectral and SEC analysis, 135
Ribonuclease conformational transition, observed by SEC, 135
Rigid-rod molecules, 897
rmsd, root mean square deviation, 1659
RNA secondary structure, 1389
ROESY, discrimination from α-helix, 995
ROESY, observation of 3_{10}-helix, 995
Rotational correlation time, determination by ^{13}C off-resonance rotating frame spin-lattice relaxation, 1581
Rotational correlation time, of globular proteins, 1581
Rouse–Zimm model, 409

16 S RNA, 1747
16S RNA, urea-induced unfolding, 1747
Scaling, 329
Scatchard analysis, 887
Screw senses, 1111
Secondary structure, 107, 245, 1461
Secondary structure fluctuations, 1519
Secondary structure prediction, 255
Secondary structures, 1843
Self Consistent Reaction Field (SCRF) calculations, 1851
Separation of mixtures of DNA, 1359
Sequence assignment, of Aib rich peptides, containing aromatic residues, 995
Sequence dependence, 479
Shape analysis, 219, 231
Shape space covering, 1389
Shear flow, 1225
Sialic acid determination, detection of polysialic acid and its derivatives by, 453
Sickle hemoglobin polymerization, 735
Side-chain rotamer restrictions and helix formation, 163
Silk fibroin, structure of by solid state ^{15}N NMR, 847
Simplified representation, 1519
Simulated annealing, 329
Simulation, of the SEC elution profiles for the ribonuclease conformational transition in guanidine hydrochloride, 135
Single mutation, 1605
Single-stranded nucleic acids, 75
Singlet oxygen an agent able to photo-oxidize DNA, 239
Size exclusion chromatography, 903
Size exclusion chromatography, conformational transition, 135
Size exclusion chromatography, of persistent volume proteins, 127
Size exclusion chromatography, of protein folding, 127
Size exclusion chromatography, protein denaturant dependent baseline changes in, 127
Size exclusion chromatography, simulation and analysis of the ribonuclease, 135
Size exclusion chromatography, simulation of elution profiles using empirical model, 127
Small rings, dynamic light scattering of, 1757
Small rings, interference

effects in dynamic light scattering from, 1757
Sodium dodecyl sulfate, 927
Sodium dodecyl sulfate, critical micellar concentration of, lowering by uteroglobin fragments, 1877
Sodium dodecyl sulfate micelles, conformational effects on uteroglobin fragments, 1877
Sol–gel transition, of ionic polysaccharides, induced by divalent cations, 703
Solid state, 1461
Solid state ^{13}C NMR spectroscopy of bovine serum albumin, 1871
Solid state ^{13}C NMR spectroscopy of lysozyme, 513
Solid state NMR, ^{15}N, for structural analysis of oriented biopolymers, 847
Solid state NMR, ^{15}N, for structural analysis of silk fibroin, 847
Solid-phase synthesis, of collagen-model peptides, 1695
Solution conformation, 927
Solvation effects, 1851
Solvation of α-helix, 827
Solvent perturbation, 839
Solvent properties, 491
Solvent-induced forces between biomolecules, 743
Solvent-mediated interactions and self-assembly of synthetic polypeptides modeling Elastin, 743
Southern bean mosaic virus, in anisotropy, 69
Spectroscopic investigation of, adenine binding site of the ricin A-chain, 1687
Spermine, interaction with poly(L-Glu), 1299
Spine of hydration, 797
Spiropyrans, linked to polypeptides, 1505
Static and dynamic light scattering studies of self-organization of elastomeric structures, 743
Static light scattering, 1643
Stereoisomers, 933
Stereoselective DNA binding, 887
Stereospecific assignments, 107
Stopped flow circular dichroism (SFCD), of $\alpha\alpha$-tropomyosin, 823
Stopped flow circular dichroism (SFCD), of nonpolymerizable $\alpha\alpha$-tropomyosin, 823
Stopped flow circular dichroism (SFCD), of subsequence 142–281, 823
Stretched exponential, 1347
Structural changes, 1037
Structure, 961
Structure, in solution and solid states, spatial organization of side chains, 1659
Structure–activity relations, 1149
Substance P, 915
Succinate and semisuccinate ions, 283
Supercoiling, 639
Surface loop, 1271
Surface side chain, 1271
Synthesis, characterization, circular dichroism studies, 873
Synthetic peptide helix models, stabilization of helix conformation in, 389
Synthetic phosphorylated peptides, 497
Synthetic proteins, TASP approach to, 389

T4 conformational transitions, 903
T4 folding mechanism, 903
T4 thioredoxin, 903, 903
Tachykinins, 915
Template-assembled synthetic protein (TASP), approach to synthetic proteins, 389
Tertiary structure, 107
Tetra-*O*-methyl-(+)-catechin, 275
Thermal denaturation, 551
Thermal denaturation analysis, 1779
Thermal stabilities, of collagen-model peptides, 1695
Thermal unfolding, 305
Thermodynamic of inverse-temperature self-assembly of bioelastomeric structures, 743
Thermodynamic simulation, of biological molecules, i.e., proteins, DNA etc., 1307
Thermodynamics of homoduplexes, 117
Thiol group analysis, detection of thiol derivatised polysialic acid by, 453
Thioredoxin, 903
Three interchanging peptide stereoisomers (configurational isomers), 693
Three-point hydrogen bond complex, 933
TOCSY, NOESY NMR experiments, 693, 1377
TOCSY, total correlated spectroscopy, 1659
Transition, 1461
Transmission electron microscopy, 1461
Trans–syn cyclobutane photodimers, of thymidylyl(3′-5′)deoxy-uridine, 1365
Tree editing, 1389
Trifluoroethanol, helix stabilization with, 389
Triple helix RNA, equilibria with double and single strands, 315
Triple-helix formation, 1317
Triplex-forming oligonucleotide (TFO) bases, 1317
tRNA, molecular dynamics simulations on, 1167
tRNA, molecular modeling of, 1167
tRNA, transition pathways for, 1167
Tropomyosin, folding intermediate, 823
Trp-Pro peptide bond, 781

Two binding sites, C_2N_2 and salamide as a probe for, 687
Two-dimensional ^1H NMR spectroscopy, 769
Two-dimensional NMR, 1889, 1901
Two-dimensional nmr techniques, 1123
Type I β-turn, 769, 1443
Type II collagen α-1 chain, 1443
Type III collagen α-1 chain, 1443

Ultraviolet circular-dichroism, 1461
Ultraviolet light, 1365
UMP, 1791
Unnatural amino acids, 769, 1237
Unusual Phe residue, 401
Uteroglobin, fragments of, conformation of, 1877
UV resonance Raman spectroscopy, 1631

Variable temperature NMR studies, 1377
Vibrational spectra, 753
Vibrational spectra (IR, VCD), 315
Virtual bonds, modeling protein backbones using, 329
Viscometry, 561
Volume and enthalpy, 117

Water, 1537
Water–biomolecule interactions and critical behavior in solutions of bioelastomers, 743
Watson–Crick base-pair reversals, 1317
Wormlike cylinder model, 551

Xanthan, with partially hydrolyzed side chains, 151
X-PLOR, molecular mechanics calculations, 3D-structure calculations using distance- and dihedral angle-NMR constraints, 1659
X-ray diffraction, 401, 1111
X-ray diffraction analyses, 1061, 1101
X-ray diffraction analysis, of (αMe)Phe homo-peptides, 1617
X-ray diffraction analysis, three conformations of Boc-Val-Ala-Leu-Aib-Val-Ala-Leu-OMe, 827
X-ray diffraction, Gly-L-Ala-L-Ile, 163
X-ray diffraction, L-Ala-L-Phe-Gly, L-Phe-L-Ala-Gly, 163
X-ray structure, standardization of, 173
X-ray temperature factors, 735

Z → B transition, 1677

Biopolymers

Author Index to Volume 33

Ahmad, R. See Tajmir-Riahi, H., 1819

Aimoto, S. See Ramalingam, K., 305

Albanese, G.
—; Deriu, A.; Cavatorta, F.; Rupprecht, A.: Rayleigh Scattering of Mössbauer Radiation in Hydrated Oriented DNA Fibers, 633

Albinsson, B. See Doglia, S. M., 1431

Alderfer, J. L. See Kim, J.-K., 713; Tabaczynski, W. A., 1365

Alemán, C.
—; Perez, J. J.: A Conformational Study of the Dehydroalanine: Dipeptide and Homopolypeptide, 1811

Amodeo, P. See Tallon, M., 915

Arteca, G. A.
Overcrossing Spectra of Protein Backbones: Characterization of Three-Dimensional Molecular Shape and Global Structural Homologies, 1829

Asakura, T. See Nicholson, L. K., 847

Asami, K. See Takashima, S., 59

Atkins, E. D. T. See Barnard, K., 897

Aubry, A. See Lecoq, A., 1051; Marraud, M., 1135; Toniolo, C., 1061

Balaram, P. See Karle, I. L., 401, 827

Balaram, P. See Uma, K., 865

Barnard, K.
—; Atkins, E. D. T.; Taylor, M. A.; Gathercole, L. J.: Elongational Flow Studies on Type IV Collagen: Comparison with Type I, 897

Baron, D. See Naim, M., 1889

Bascle, J.
—; Garel, T.; Orland, H.; Velikson, B.: Biasing a Monte Carlo Chain Growth Method with Ramachandran's Plot: Application to Twenty-L-Alanine, 1843

Basu, G.
—; Kuki, A.: Evidence for a 3_{10}-Helical Conformation of an Eight-Residue Peptide from ^1H-^1H Rotating Frame Overhauser Studies (Research Communication), 995

Bauer, R. See Kadima, W., 1643

Bean, J. W. See Kopple, K. D., 1093

Bello, J.
Helix Promotion in Polypeptides by Polyols, 491

Bello, J. See Ramalingam, K., 305

Benedetti, E.
—; Pedone, C.; Tancredi, T.; Temussi, P.; Goodman, M.: Editorial to Special Issue on the 3rd Naples Workshop on Conformational Analysis of Peptides: Relationships and Interactions, 1001

Benedetti, E. See Di Blasio, B., 1037

Benight, A. S. See Doktycz, M. J., 1765; Paner, T. M., 1779

Benson, R. L.
—; Gustafson, T. L.: Comparative Study of the Interactions of Cisplatin and Carboplatin with Nucleotides Using UV Resonance Raman Spectroscopy, 1631

Berendsen, H. J. C. See Van Buuren, A. R., 1159

Bertrand-Harb, C. See Dufour, E., 589

Beveridge, D. L. See Fritsch, V., 1537; Prévost, C., 335

Bhandary, K. K.
—; Chauhan, V. S.: Peptide Design 3_{10}-Helical Conformation of a Linear Pentapeptide Containing Two Dehydrophenylalanines, Boc-Gly-Δ^ZPhe-Leu-Δ^ZPhe-Ala-$NHCH_3$, 209

Bhandary, K. K. See Kopple, K. D., 1093

Bigio, I. J.
—; Gosnell, T. R.; Mukherjee, P.; Saffer, J. D.: Microwave Absorption Spectroscopy of DNA, 147

Bigler, P. See Otter, A., 769

Boesten, W. H. J. See Valle, G., 1617

Bogusky, M. J.
—; Naylor, A. M.; Mertzman, M. E.; Pitzenberger, S. M.; Nutt, R. F.; Brady, S. F.; Colton, C. D.; Veber, D. F.: The Solution Conformation of Ac-Pen-Arg-Gly-Asp-Cys-OH, a Potent Fibrinogen Receptor Antagonist, 1287

Bordi, F.
—; Cametti, C.; Paradossi, G.: Effect of Counterion Concentration on the Dielectric Behavior of a Polypeptidic Chain in the Helix–Coil Transition, 1029
Boussard, G. See Lecoq, A., 1051; Marraud, M., 1135
Boutonnet, N.
—; Hui, X.; Zakrzewska, K.: Looking into the Grooves of DNA, 479
Bracci, L. See Rustici, M., 961
Brady, J. W. See McDonald, S. M., 1481
Brady, S. F. See Bogusky, M. J., 1287
Brant, D. A. See Stokke, B. T., 193
Brass, A.
—; Pendleton, B. J.; Chen, Y.; Robson, B.: Hybrid Monte Carlo Simulations Theory and Initial Comparison with Molecular Dynamics, 1307
Brassell, J. See Powers, M. E., 927
Breslauer, K. J. See Erie, D. A., 75
Briand, J. See Kopple, K. D., 1093
Brodersen, K. See Kadima, W., 1643
Brower, R. C.
—; Vasmatzis, G.; Silverman, M.; Delisi, C.: Exhaustive Conformational Search and Simulated Annealing for Models of Lattice Peptides, 329
Broxterman, Q. B. See Valle, G., 1617
Butsugan, Y. See Kawai, M., 1207

Cametti, C. See Bordi, F., 1029
Cañete, M. See Villanueva, A., 239
Cardozo, M. G.
—; Hopfinger, A. J.: A Model for the Dynemicin-A Cleavage of DNA Using Molecular Dynamics Simulation, 377
Carlacci, L.
—; Englander, S. W.: The Loop Problem in Proteins: A Monte Carlo Simulated Annealing Approach, 1271
Case, D. A. See Soman, K. V., 1567
Cavatorta, F. See Albanese, G., 633
Cavicchioni, G. See Toniolo, C., 1061
Charnick, S. B. See McMinn, J. H., 1213
Charpentier, S. See Naim, M., 1889
Chaturvedi, S. See Parthasarathy, R., 163
Chauhan, V. S. See Bhandary, K. K., 209
Chen, Y. See Brass, A., 1307
Chen, Y. Z.
—; Prohofsky, E. W.: A Cooperative Self-Consistent Microscopic Theory of Thermally Induced Melting of a Repeat Sequence DNA Polymer, 351
—; Prohofsky, E. W.: Differences in Melting Behavior Between Homopolymers and Copolymers of DNA: Role of Nonbonded Forces for GC and the Role of the Hydration Spine and Premelting Transition for AT, 797
Cheng, Y.-K. See Mohan, V., 1317
Chew, C.
—; Villar, H. O.; Loew, G. H.: Characterization of the Bioactive Form and Molecular Determinants of Recognition of Cyclic Enkephalin Peptides at the δ-Opioid Receptor, 647
Chmelík, J. See Dolník, V., 1299
Chorev, M. See Tallon, M., 915
Chou, J. J.
A Formulation for Correlating Properties of Peptides and Its Application to Predicting Human Immunodeficiency Virus Protease-Cleavable Sites in Proteins, 1405
Christensen, B. E.
—; Knudsen, K. D.; Smidsrød, O.; Kitamura, S.; Takeo, K.: Temperature-Induced Conformational Transition in Xanthans with Partially Hydrolyzed Side Chains, 151
Ciajolo, M. R. See Tuzi, A., 1111
Ciardelli, F. See Fissi, A., 1505; Pieroni, O., 1
Ciurak, M. See Poznański, J., 781
Clancy, P. See McDonald, S. M., 1481
Collet, A. See Marraud, M., 1135
Colton, C. D. See Bogusky, M. J., 1287
Craig, J. C. See Scaria, P. V., 887
Crisma, M. See Toniolo, C., 1061; Valle, G., 1617
Cross, T. A. See Nicholson, L. K., 847
Cung, M. T. See Tsikaris, V., 1123

D'Alagni, M.
—; D'Archivio, A. A.; Giglio, E.: On the Interaction of Polypeptides with Bile Salts or Bilirubin-IXα, 1553
D'Ambrosio, C. A. See Kopple, K. D., 1093
Daragan, V. A.
—; Ilyina, E.; Mayo, K. H.: Effects of Molecular Association on Structure and Dynamics of a Collagenous Peptide, 521

D'Archivio, A. A. See D'Alagni, M., 1553
Das, P. K. See Ramalingam, T. S., 1687
D'Auria, G. See Di Blasio, B., 621
Day, R. A. See Karagözler, A. A., 687
De Wael, K. See Parmentier, J., 659
Delisi, C. See Brower, R. C., 329
DeLisi, C. See Vajda, S., 173
Dellacherie, E. See Prouchayret, F., 1803
Demura, M. See Nicholson, L. K., 847
Deriu, A. See Albanese, G., 633
Detsikas, E. See Tsikaris, V., 1123
Di Blasio, B.
—; Lombardi, A.; D'Auria, G.; Saviano, M.; Isernia, C.; Maglio, O.; Paolillo, L.; Pedone, C.; Pavone, V.: β-Alanine Containing Peptides: γ-Turns in Cyclotetrapeptides, 621
—; Pavone, V.; Lombardi, A.; Pedone, C.; Benedetti, E.: Noncoded Residues as Building Blocks in the Design of Specific Secondary Structures: Symmetrically Disubstituted Glycines and β-Alanine, 1037
Di Nola, A. See Zecchini, G. P., 437
Doglia, S. M.
—; Albinsson, B.; Hiort, C.; Nordén, B.; Gräslund, A.: Quinacrine: Spectroscopic Properties and Interactions with Polynucleotides, 1431
Doi, E. See Nemoto, N., 551
Doktycz, M. J.
—; Paner, T. M.; Benight, A. S.: Studies of DNA Dumbbells. IV. Preparation and Melting of a DNA Dumbbell with the 16 Base-Pair Sequence $^{5'}$G-T-A-T-C-C-C-T-C-T-G-G-A-T-A-C$^{3'}$ Linked on the Ends by Dodecyl Chains, 1765
Doktycz, M. J. See Paner, T. M., 1779
Dolník, V.
—; Novotny, M.; Chmelík, J.: Electromigration Behavior of Poly-(L-Glutamate) Conformers in Concentrated Polyacrylamide Gels, 1299
Doughty, M. B.
—; Hu, L.: The Contribution of Helical Potential to the In Vitro Receptor Binding Activity of a Neuropeptide Y N-terminal Deletion Fragment, 1195
Dufour, E.
—; Bertrand-Harb, C.; Haertlé, T.: Reversible Effects of Medium Dielectric Constant on Structural Transformation of β-Lactoglobulin and Its Retinol Binding, 589
Duncan, B. S.
—; Olson, A. J.: Approximation and Characterization of Molecular Surfaces, 219
—; Olson, A. J.: Shape Analysis of Molecular Surfaces, 231
Dupont, V. See Marraud, M., 1135
Durand, D.
—; Field, M. J.; Quilichini, M.; Smith, J. C.: Lattice Vibrations in Crystalline L-Alanine, 725

Ejchart, A. See Poznański, J., 781
Elgsaeter, A. See Stokke, B. T., 193, 561
Englander, S. W. See Carlacci, L., 1271
Erie, D. A.
—; Breslauer, K. J.; Olson, W. K.: A Monte Carlo Method for Generating Structures of Short Single-Stranded DNA Sequences, 75
Eriksson, S. See Kim, S. K., 1677
Esposito, G.
—; Lesk, A. M.; Molinari, H.; Motta, A.; Niccolai, N.; Pastore, A.: Probing Protein Structure by Solvent Perturbation of NMR Spectra. II. Determination of Surface and Buried Residues in Homologous Proteins, 839

Fabbri, D. See Fissi, A., 1505
Falsafi, S.
—; Reich, N. O.: Molecular Dynamics Simulations of B-DNA: An Analysis of the Role of Initial Molecular Configuration, Randomly Assigned Velocity Distribution, Long Integration Times, and Nonconstrained Termini, 459
Fasman, G. D. See Hollósi, M., 497; Mantsch, H. H., 201; Perczel, A., 665
Fesik, S. W. See Xu, R. X., 535
Field, M. J. See Durand, D., 725
Fields, C. G.
—; Lovdahl, C. M.; Miles, A. J.; Vandrisse, V. L.; Fields, G. B.: Solid-Phase Synthesis and Stability of Triple-Helical Peptides Incorporating Native Collagen Sequences, 1695
Fields, G. B. See Fields, C. G., 1695
Fissi, A.
—; Pieroni, O.; Ciardelli, F.; Fabbri, D.; Ruggeri, G.; Umezawa, K.: Photoresponsive Polypeptides: Photochromism and Conformation of Poly(L-Glutamic Acid) Containing Spiropyran Units, 1505

Fissi, A. See Pieroni, O., 1; Tuzi, A., 1111
Flippen-Anderson, J. L. See Karle, I. L., 401, 827
Foffani, M. T. See Tessari, M., 1877
Fontana, W.
—; Konings, D. A. M.; Stadler, P. F.; Schuster, P.: Statistics of RNA Secondary Structures, 1389
Formaggio, F. See Toniolo, C., 1061; Valle, G., 1617
Forster, M. J.
—; Mulloy, B.: Molecular Dynamics Study of Iduronate Ring Conformation, 575
Freed, K. F. See Kostov, K., 1423
Fritsch, V.
—; Ravishanker, G.; Beveridge, D. L.; Westhof, E.: Molecular Dynamics Simulations of Poly(dA)·Poly(dT): Comparisons Between Implicit and Explicit Solvent Representations, 1537
Fronczek, F. R.
—; Hemingway, R. W.; McGraw, G. W.; Steynberg, J. P.; Helfer, C. A.; Mattice, W. L.: Crystal Structure, Conformational Analysis, and Molecular Dynamics of Tetra-*O*-Methyl-(+)-Catechin, 275
Fujimoto, B. S. See Kim, U.-S., 1725
Furlong, C. E. See Kim, U.-S., 1725
Furó, I. See Zhang, W., 1709

Gabb, H. A. See Harvey, S. C., 1167
Gajdusek, D. C. See Safar, J., 1461
Gallo, F. J. See Paner, T. M., 1779
Gangoda, M. See Gregory, R. B., 513, 1871
Garel, T. See Bascle, J., 1843
Gathercole, L. J. See Barnard, K., 897
Gavuzzo, E. See Zecchini, G. P., 437
Gebe, J. A.
—; Schurr, J. M.: Intramolecular Interference Effects in Dynamic Light Scattering from Rigid Rings, 1757
Gemmecker, G. See Xu, R. X., 535
Gera, L. See Liu, X., 1237
Ghenbot, G. See Karagözler, A. A., 687
Gibbs, C. J., Jr. See Safar, J., 1461
Giglio, E. See D'Alagni, M., 1553
Gilpin, R. K. See Gregory, R. B., 513, 1871
Gilquin, B.
—; Roumestand, C.; Zinn-Justin, S.; Ménez, A.; Toma, F.: Refined Three-Dimensional Solution Structure of a Snake Cardiotoxin: Analysis of the Side-Chain Organization Suggests the Existence of a Possible Phospholipid Binding Site, 1659
Giralt, E. See Rabanal, F., 1019
Go, K. See Parthasarathy, R., 163
Goldstein, R. F.
Hydrodynamic Modes of Arbitrarily Shaped Flexible Macromolecules: Influence on Dynamic Light Scattering, 409
Goodman, M. See Benedetti, E., 1001
Gosnell, T. R. See Bigio, I. J., 147
Grand, V. See Marraud, M., 1135
Gräslund, A. See Doglia, S. M., 1431
Gregory, R. B.
—; Gangoda, M.; Gilpin, R. K.; Su, W.: The Influence of Hydration on the Conformation of Bovine Serum Albumin Studied by Solid-State ^{13}C-NMR Spectroscopy, 1871
—; Gangoda, M.; Gilpin, R. K.; Su, W.: The Influence of Hydration on the Conformation of Lysozyme Studied by Solid-State ^{13}C NMR Spectroscopy, 513
Guarino, G. See Tuzi, A., 1111
Gustafson, T. L. See Benson, R. L., 1631

Hadži, D. See Pristovšek, P., 1149
Haertlé, T. See Dufour, E., 589
Halle, D. See Tallon, M., 915
Hansen, J. F. See Kadima, W., 1643
Hara, C. See Stokke, B. T., 561
Harvey, S. C.
—; Gabb, H. A.: Conformational Transitions Using Molecular Dynamics with Minimum Biasing, 1167
Head-Gordon, T.
—; Stillinger, F. H.: Predicting Polypeptide and Protein Structures from Amino Acid Sequence: Antlion Method Applied to Melittin, 293
Heid, P. See Shalongo, W., 127
Helfer, C. A. See Fronczek, F. R., 275
Hemingway, R. W. See Fronczek, F. R., 275
Hinrichs, W. See Schulz, W., 363
Hiort, C. See Doglia, S. M., 1431
Hirabayashi, T. See Inai, Y., 1173
Hollósi, M.
—; Ötvös, L., Jr.; Ürge, L.; Kajtár, J.; Perczel, A.; Laczkó, I.; Vadász, S.;

Fasman, G. D.: Ca^{2+}-Induced Conformational Transitions of Phosphorylated Peptides, 497
Hollósi, M. See Mantsch, H. H., 201; Perczel, A., 665
Holtzer, A. See Mo, J., 823
Holtzer, M. E. See Mo, J., 823
Hopfinger, A. J. See Cardozo, M. G., 377
Hruby, V. J.
Conformational and Topographical Considerations in the Design of Biologically Active Peptides, 1073
Hu, L. See Doughty, M. B., 1195
Hudecz, F. See Mezö, G., 873
Hui, X. See Boutonnet, N., 479
Humbert, R. See Kim, U.-S., 1725

Igolen, J. See Sfihi, H., 1715
Ilyina, E. See Daragan, V. A., 521
Imanishi, Y. See Otoda, K., 1337
In, Y. See Yamada, T., 813
Inai, Y.
—; Ito, T.; Hirabayashi, T.; Yokota, K.: Synthesis and Conformational Study of Peptides Possessing Helically Arranged Δ^ZPhe Side Chains, 1173
Isernia, C. See Di Blasio, B., 621
Ishida, T. See Yamada, T., 813
Ito, T. See Inai, Y., 1173

Jacchieri, S. G.
—; Richards, N. G. J.: Probing the Influence of Sequence-Dependent Interactions upon α-Helix Stability in Alanine-Based Linear Peptides, 971
Jafri, M. S. See Vajda, S., 173
Jagannadham, M. See Shalongo, W., 135, 903
Johnson, M. E. See Prabhakaran, M., 735
Johnson, W. C., Jr. See Kang, H., 245
Juarranz, A. See Villanueva, A., 239
Juretić, D.
—; Lee, B.; Trinajstić, N.; Williams, R. W.: Conformational Preference Functions for Predicting Helices in Membrane Proteins, 255

Kaarsholm, N. See Kadima, W., 1643
Kadima, W.
—; Øgendal, I.; Bauer, R.; Kaarsholm, N.; Brodersen, K.; Hansen, J. F.; Porting, P.: The Influence of Ionic Strength and pH on the Aggregation Properties of Zinc-Free Insulin Studied by Static and Dynamic Laser Light Scattering, 1643
Kajtár, J. See Hollósi, M., 497; Mezö, G., 873
Kamphuis, J. See Toniolo, C., 1061; Valle, G., 1617
Kang, H.
—; Johnson, W. C., Jr.: Linear Dichroism Demonstrates that the Bases in Poly[d(AC)] · Poly[d(GT)] and Poly[d(AG)] · Poly[d(CT)] Are Inclined from Perpendicular to the Helix Axis, 245
Karagözler, A. A.
—; Ghenbot, G.; Day, R. A.: Cyanogen as a Selective Probe for Carbonic Anhydrase Hydrolase Activity, 687
Karimi, A. See Soman, K. V., 1567
Karle, I. L.
—; Flippen-Anderson, J. L.; Uma, K.; Balaram, P.: Accommodation of a D-Phe Residue into a Right-Handed 3_{10}-Helix: Structure of Boc-D-Phe-$(Aib)_4$-Gly-L-Leu-$(Aib)_2$-OMe, an Analogue of the Amino Terminal Segment of Antiamoebins and Emerimicins, 401
—; Flippen-Anderson, J. L.; Uma, K.; Balaram, P.: Unfolding of an α-Helix in Peptide Crystals by Solvation: Conformational Fragility in a Heptapeptide, 827
Katakai, R. See Yonezawa, N., 1477
Kato, F. See Satoh, M., 985
Kawai, M.
—; Omori, Y.; Yamamura, H.; Butsugan, Y.; Taga, T.; Miwa, Y.: Crystal Structures of Boc-D- and L-Iva-L-Pro-OBzl: Unturned Conformation of Aib-Pro Sequence Unaffected by Replacement of Me with Et in Aib, 1207
Keiderling, T. A. See Yang, L., 315
Kessler, H. See Mierke, D. F., 1003
Kharakoz, D. P.
—; Sarvazyan, A. P.: Hydrational and Intrinsic Compressibilities of Globular Proteins, 11
Kidrič, J. See Pristovšek, P., 1149
Kim, J.-K.
—; Wallace, J. C.; Alderfer, J. L.: Substituent Effects on the Puckering Mode of the Cyclobutane Ring and the Glycosyl Bond of *cis–syn* Photodimers, 713
Kim, S. K.
—; Eriksson, S.; Nordén, B.: Z → B Transition in Poly[d(G-$m^5C)_2$] Induced by Interaction with 4′,6-Diamidino-2-Phenylindole, 1677
Kim, U.-S.
—; Fujimoto, B. S.; Furlong, C. E.; Sundstrom, J. A.;

Humbert, R.; Teller, D. C.; Schurr, J. M.: Dynamics and Structures of DNA: Long-Range Effects of a 16 Base-Pair $(CG)_8$ Sequence on Secondary Structure, 1725
Kimura, S. See Otoda, K., 1337
Kishore, R. See Uma, K., 865
Kitagawa, Y. See Otoda, K., 1337
Kitamura, S. See Christensen, B. E., 151; Stokke, B. T., 193, 561
Knudsen, K. D. See Christensen, B. E., 151
Kobayashi, K. See Yonezawa, N., 1477
Koike, A. See Nemoto, N., 551
Kollát, E. See Perczel, A., 665
Komiyama, J. See Satoh, M., 985
Konings, D. A. M. See Fontana, W., 1389
Konno, M. See Wang, Z.-Y., 703
Kopple, K. D.
—; Bean, J. W.; Bhandary, K. K.; Briand, J.; D'Ambrosio, C. A.; Peishoff, C. E.: Conformational Mobility in Cyclic Oligopeptides, 1093
Koseki, T. See Nemoto, N., 551
Kostov, K.
—; Freed, K. F.; Perico, A.: Effect of Various Frictional Models on Long-Time Peptide Dynamics, 1423
Kotovych, G. See Liu, X., 1237; Otter, A., 769, 1443
Krimm, S. See Qian, W., 1591
Krishna, K. G.
—; Suresh Kumar, T. K.; Pandit, M. W.: Effect of Cationic Drugs on Suprahelical Organization of DNA, 1415
Kubista, M. See Simonson, T., 1225
Kuge, T. See Stokke, B. T., 193
Kuki, A. See Basu, G., 995
Kuntz, I. D. See Oshiro, C. M., 107
Kupke, D. W. See Rentzeperis, D., 117
Kuwata, S. See Yamada, T., 813

Laczkó, I. See Hollósi, M., 497
Langowski, J. See Timchenko, A. A., 1747
Lavery, R. See Prévost, C., 335
Lecoq, A.
—; Boussard, G.; Marraud, M.; Aubry, A.: Crystal State Conformation of Three Azapeptides Containing the AzaProline Residue, A β-Turn Regulator, 1051
Lecoq, A. See Marraud, M., 1135
Lee, B. See Juretić, D., 255
Lemaire, D. G. E. See Tabaczynski, W. A., 1365
Lesk, A. M. See Esposito, G., 839
Liquier, J. See Sfihi, H., 1715
Liu, X.
—; Stewart, J. M.; Gera, L.; Kotovych, G.: Proton Magnetic Resonance Studies of Bradykinin Antagonists, 1237
Loew, G. H. See Chew, C., 647
Lombardi, A. See Di Blasio, B., 621, 1037
Louise-May, S. See Prévost, C., 335
Lovdahl, C. M. See Fields, C. G., 1695
Lozzi, L. See Rustici, M., 961
Lucente, G. See Zecchini, G. P., 437
Ludevid, M. D. See Rabanal, F., 1019
Luque, F. J. See Orozco, M., 1851

Ma, S.
—; Richardson, J. F.; Spatola, A. F.: Crystal Structures of Two Cyclic Pseudopentapeptides Containing $\psi[CH_2S]$ and $\psi[CH_2SO]$ Backbone Surrogates, 1101
Maglio, O. See Di Blasio, B., 621
Maione, A. See Zanotti, G., 1083
Mammi, S. See Tessari, M., 1877
Manning, M. C. See Powers, M. E., 927
Mantsch, H. H.
—; Perczel, A.; Hollósi, M.; Fasman, G. D.: Characterization of β-Turns in Cyclic Hexapeptides in Solution by Fourier Transform IR Spectroscopy, 201
Marky, L. A. See Rentzeperis, D., 117
Marlow, G. E. See Mohan, V., 1317
Marraud, M.
—; Dupont, V.; Grand, V.; Zerkout, S.; Lecoq, A.; Boussard, G.; Vidal, J.; Collet, A.; Aubry, A.: Modifications of the Amide Bond and Conformational Constraints in Pseudopeptide Analogues, 1135
Marraud, M. See Lecoq, A., 1051; Tsikaris, V., 1123
Maskos, K. See Morden, K. M., 27
Matsuura, J. See Powers, M. E., 927
Matthews, I.
—; Petrak, K.: The Preparation and Characterization of a Twin-Tailed, Lipid-Linked Polysialic Acid, 453
Mattice, W. L. See Fronczek, F. R., 275
Mavri, J. See Pristovšek, P., 1149
Mayer, P.
—; Sturm, J.; Weill, G.: Stretching and Overstretching of DNA in

Pulsed Field Gel Electrophoresis. I. A Quantitative Study from the Steady State Birefringence Decay, 1347
—; Sturm, J.; Weill, G.: Stretching and Overstretching of DNA in Pulsed Field Gel Electrophoresis. II. Coupling of Orientation and Transport in Initial Response to the Field, 1359
Mayo, K. H. See Daragan, V. A., 521
Mazza, F. See Zecchini, G. P., 437
McDonald, S. M.
—; Brady, J. W.; Clancy, P.: Molecular Dynamics Simulations of a Winter Flounder "Antifreeze" Polypeptide in Aqueous Solution, 1481
Mc Ewen, I.
NMR and Computer-Aided Studies of the Three Interchanging Stereoisomers of the Cyclic Hexapeptide *cyclo*-[-Pro^1-Gly^2-Glu^3(OBzl)-Pro^4-Phe^5-Leu^6-]: Unexpected Observation of a *cis* Isomer of a Secondary Amide Peptide Bond in the Presence of Two *Trans* Proline Peptide Bonds, 693
McEwen, I.
NMR and Computer-Aided Modeling Studies of the Interactions Between a Cyclic Hexapeptide and the Two Enantiomers of Some Boc- and Fmoc-Amino Acids, 933
—; Ottosson, K.: Formation of Several Stable Complexes Between the Minor Components of the Cyclic Tetrapeptide Cyclo-(-Pro^1-Ala^2-D-Phe^3-Leu^4-) and Some Specific Boc-Amino Acids, 1377
McGraw, G. W. See Fronczek, F. R., 275
McMinn, J. H.
—; Sowa, M. J.; Charnick, S. B.; Paulaitis, M. E.: The Hydration of Proteins in Nearly Anhydrous Organic Solvent Suspensions, 1213
Meadows, R. See Xu, R. X., 535
Ménez, A. See Gilquin, B., 1659
Mertzman, M. E. See Bogusky, M. J., 1287
Mezö, G.
—; Kajtár, J.; Hudecz, F.; Szekerke, M.: Carrier Design: Conformational Studies of Amino Acid (X) and Oligopeptide (X-DL-Ala$_m$) Substituted Poly(L-Lysine), 873
Mierke, D. F.
—; Kessler, H.: Improved Molecular Dynamics Simulations for the Determination of Peptide Structures, 1003
Miles, A. J. See Fields, C. G., 1695
Miwa, Y. See Kawai, M., 1207
Miyazawa, T. See Yamada, T., 813
Mo, J.
—; Holtzer, M. E.; Holtzer, A.: Further Characterization of the Kinetic Folding Intermediate of $\alpha\alpha$-Tropomyosin and of Its 142–281 Subsequence, 823
Mohan, V.
—; Cheng, Y.-K.; Marlow, G. E.; Pettitt, B. M.: Molecular Recognition of Watson–Crick Base-Pair Reversals in Triple-Helix Formation: Use of Nonnatural Oligonucleotide Bases, 1317
Molinari, H. See Esposito, G., 839
Morden, K. M.
—; Maskos, K.: NMR Studies of an Extrahelical Cytosine in an A·T Rich Region of a Deoxyribodecanucleotide, 27
Motta, A. See Esposito, G., 839
Mouawad, L.
—; Perahia, D.: Diagonalization in a Mixed Basis: A Method to Compute Low-Frequency Normal Modes for Large Macromolecules, 599
Mukherjee, P. See Bigio, I. J., 147
Muller, N.
Hydrophobicity and Stability for a Family of Model Proteins, 1185
Mulloy, B. See Forster, M. J., 575
Mutter, M. See Vuilleumier, S., 389

Naider, F. See Tallon, M., 915
Naim, M.
—; Charpentier, S.; Nicolas, P.; Baron, D.: Quantitative Two-Dimensional NMR Study of Dermenkephalin, A Highly Potent and Selective δ-Opioid Peptide, 1889
Nakao, M. See Yamada, T., 813
Naoui, M. See Tajmir-Riahi, H., 1819
Naylor, A. M. See Bogusky, M. J., 1287
Nemoto, N.
—; Koike, A.; Osaki, K.; Koseki, T.; Doi, E.: Dynamic Light Scattering of Aqueous Solutions of Linear Aggregates Induced by Thermal Denaturation of Ovalbumin, 551
Neri, P. See Rustici, M., 961
Nettesheim, D. See Xu, R. X., 535
Niccolai, N. See Esposito, G., 839; Rustici, M., 961
Nicholson, L. K.
—; Asakura, T.; Demura, M.;

Cross, T. A.: A Method for Studying the Structure of Uniaxially Aligned Biopolymers Using Solid State ^{15}N-NMR: Application to *Bombyx mori* Silk Fibroin Fibers, 847
Nicolas, P. See Naim, M., 1889
Nordén, B. See Doglia, S. M., 1431; Kim, S. K., 1677
Novotny, M. See Dolník, V., 1299
Nutt, R. F. See Bogusky, M. J., 1287

Øgendal, I. See Kadima, W., 1643
Olejniczak, E. T. See Xu, R. X., 535
Olson, A. J. See Duncan, B. S., 219, 231
Olson, W. K. See Erie, D. A., 75; Tobias, I., 639
Omori, Y. See Kawai, M., 1207
Orland, H. See Bascle, J., 1843
Orozco, M.
—; Luque, F. J.: Self-Consistent Reaction Field Computation of the Reactive Characteristics of DNA Bases in Water, 1851
Osaki, K. See Nemoto, N., 551
Oshiro, C. M.
—; Kuntz, I. D.: Application of Distance Geometry to the Proton Assignment Problem, 107
Otoda, K.
—; Kitagawa, Y.; Kimura, S.; Imanishi, Y.: Chain Length Dependent Transition of 3_{10}- to α-Helix of Boc-(Ala-Aib)$_n$-OMe, 1337
Otter, A.
—; Bigler, P.; Stewart, J. M.; Kotovych, G.: A Proton Magnetic Resonance Study of Two Synthetic Agonist–Antagonist Pairs of Bradykinin Analogues, 769
—; Scott, P. G.; Kotovych, G.: Conformational Analysis of the Type II and Type III Collagen α-1 Chain N-Telopeptides by ^{1}H-NMR Spectroscopy and Restrained Molecular Mechanics Calculations, 1443
Ottosson, K. See McEwen, I., 1377
Ötvös, L., Jr. See Hollósi, M., 497

Paci, M. See Zecchini, G. P., 437
Padmanabhan, B.
—; Singh, T. P.: Design of Peptides: Crystal and Molecular Structure of a 3_{10}-Helical Peptide N-Boc-L-Phe-dehydro-Phe-L-Val-L-Phe-dehydro-Phe-L-Val-OCH$_3$, 613
Palma, M. U. See Sciortino, F., 743
Pandit, M. W. See Krishna, K. G., 1415
Paner, T. M.
—; Gallo, F. J.; Doktycz, M. J.; Benight, A. S.: Studies of DNA Dumbbells. V. A DNA Triplex Formed Between a 28 Base-Pair DNA Dumbbell Substrate and a 16 Base Linear Single Strand, 1779
Paner, T. M. See Doktycz, M. J., 1765
Pantano, M. See Valle, G., 1617
Paolillo, L. See Di Blasio, B., 621
Paradisi, M. P. See Zecchini, G. P., 437
Paradossi, G. See Bordi, F., 1029
Parmentier, J.
—; De Wael, K.; Samyn, C.; Zeegers-Huyskens, T.: IR Study of the Proton Acceptor Ability of N-*t*-Butoxycarbonylproline N'-Methylamide, 659
Parthasarathy, R.
—; Go, K.; Chaturvedi, S.: Helix-Forming Tendencies of Amino Acids Depend on Their Sequence Contexts: Tripeptides AFG and FAG Show Incipient β-Bulge Formation in Their Crystal Structures, 163
Pastore, A. See Esposito, G., 839
Paulaitis, M. E. See McMinn, J. H., 1213
Pavone, V. See Di Blasio, B., 621, 1037
Pechenaya, V. I.
Influence of Electrostatic Interactions on the Sugar–Phosphate Backbone Conformation in DNA, 37
Pedone, C. See Benedetti, E., 1001; Di Blasio, B., 621, 1037; Zanotti, G., 1083
Peggion, E. See Tessari, M., 1877
Peishoff, C. E. See Kopple, K. D., 1093
Pendleton, B. J. See Brass, A., 1307
Perahia, D. See Mouawad, L., 599
Perczel, A.
—; Kollát, E.; Hollósi, M.; Fasman, G. D.: Synthesis and Conformational Analysis of N-Glycopeptides. II. CD, Molecular Dynamics, and NMR Spectroscopic Studies on Linear N-Glycopeptides, 665
Perczel, A. See Hollósi, M., 497; Mantsch, H. H., 201
Perez, J. J. See Alemán, C., 1811
Perico, A. See Kostov, K., 1423
Petrak, K. See Matthews, I., 453
Pettitt, B. M. See Mohan, V., 1317
Pieroni, O.
—; Fissi, A.; Pratesi, C.;

Temussi, P. A.; Ciardelli, F.: Solution Structure of Peptides Containing Two Dehydro-Phenylalanine Residues: A CD Investigation, 1
Pieroni, O. See Fissi, A., 1505; Tuzi, A., 1111
Pitzenberger, S. M. See Bogusky, M. J., 1287
Pochetti, G. See Zecchini, G. P., 437
Podder, S. K. See Ramalingam, T. S., 1687
Pons, M. See Rabanal, F., 1019
Porting, P. See Kadima, W., 1643
Powers, M. E.
—; Matsuura, J.; Brassell, J.; Manning, M. C.; Shefter, E.: Enhanced Solubility of Proteins and Peptides in Nonpolar Solvents Through Hydrophobic Ion Pairing, 927
Poznański, J.
—; Ejchart, A.; Wierzchowski, K. L.; Ciurak, M.: ^{1}H- and ^{13}C-NMR Investigations on *Cis–Trans* Isomerization of Proline Peptide Bonds and Conformation of Aromatic Side Chains in H-Trp-$(Pro)_n$-Tyr-OH Peptides, 781
Prabhakaran, M.
—; Johnson, M. E.: Molecular Dynamics of Sickle and Normal Hemoglobins, 735
Prasad, G. S.
—; Vijayan, M.: X-Ray Studies on Crystalline Complexes Involving Amino Acids and Peptides. XXIV. Different Ionization States and Novel Aggregation Patterns in the Complexes of Succinic Acid with DL- and L-Histidine, 283
Prasad, K. U. See Sciortino, F., 743
Pratesi, C. See Pieroni, O., 1
Precigoux, G. See Toniolo, C., 1061
Précigoux, G. See Valle, G., 1617
Prévost, C.
—; Louise-May, S.; Ravishanker, G.; Lavery, R.; Beveridge, D. L.: Persistence Analysis of the Static and Dynamical Helix Deformations of DNA Oligonucleotides: Application to the Crystal Structure and Molecular Dynamics Simulation of $d(CGCGAATTCGCG)_2$, 335
Pristovšek, P.
—; Kidrič, J.; Mavri, J.; Hadži, D.: NMR and Molecular Dynamics Study of Four Carbocyclic Muramyl Dipeptide Analogues, 1149
Prohofsky, E. W. See Chen, Y. Z., 351, 797
Prouchayret, F.
—; Dellacherie, E.: Low Oxygen Affinity Derivatives of Human Hemoglobin by Fixation of Polycarboxylic Dextran to the Oxyform, 1803

Qian, H.
Single-Residue Substitution in Homopolypeptides: Perturbative Helix–Coil Theory at a Single Site, 1605
Qian, W.
—; Krimm, S.: Energetics of the Disulfide Bridge: An Ab Initio Study, 1591
Quilichini, M. See Durand, D., 725

Rabanal, F.
—; Ludevid, M. D.; Pons, M.; Giralt, E.: CD of Proline-Rich Polypeptides: Application to the Study of the Repetitive Domain of Maize Glutelin-2, 1019
Ramalingam, K.
—; Bello, J.; Aimoto, S.: Permethylation Alters the Conformational Transitions and the Complexing Ability of Melittin: A Model for Methylated Proteins, 305
Ramalingam, T. S.
—; Das, P. K.; Podder, S. K.: Identification of the Adenine Binding Site in the Ricin Toxin A-Chain by Fluorescence, CD, and Electron Spin Resonance Spectroscopy, 1687
Ramsden, J. J.
Calcium-Dependence of Laminin Binding to Phospholipid Membranes, 475
Ravishanker, G. See Fritsch, V., 1537; Prévost, C., 335
Reich, N. O. See Falsafi, S., 459
Rentzeperis, D.
—; Kupke, D. W.; Marky, L. A.: Volume Changes Correlate with Entropies and Enthalpies in the Formation of Nucleic Acid Homoduplexes: Differential Hydration of A and B Conformations, 117
Richards, N. G. J. See Jacchieri, S. G., 971
Richardson, J. F. See Ma, S., 1101
Robson, B. See Brass, A., 1307
Rodriguez-Borlado, L. See Villanueva, A., 239
Roles, K. A.
—; Xenopoulos, A.; Wunderlich, B.: Heat Capacities of Solid Poly(Amino Acid)s. II. The Remaining Polymers, 753
Roller, P. P. See Safar, J., 1461
Ron, D. See Tallon, M., 915
Rossi, F. See Zanotti, G., 1083

Roumestand, C. See Gilquin, B., 1659
Roux, B. See Thomas, A., 1249
Ruben, G. C. See Safar, J., 1461
Ruggeri, G. See Fissi, A., 1505
Rupprecht, A. See Albanese, G., 633
Russu, I. M. See Walters, K. J., 943
Rustici, M.
—; Bracci, L.; Lozzi, L.; Neri, P.; Santucci, A.; Soldani, P.; Spreafico, A.; Niccolai, N.: A Model of the Rabies Virus Glycoprotein Active Site, 961
Ruzsicska, B. P. See Tabaczynski, W. A., 1365

Saenger, W. See Schulz, W., 363
Safar, J.
—; Roller, P. P.; Ruben, G. C.; Gajdusek, D. C.; Gibbs, C. J., Jr.: Secondary Structure of Proteins Associated in Thin Films, 1461
Saffer, J. D. See Bigio, I. J., 147
Saito, S. See Wang, Z.-Y., 703
Sakarellos, C. See Tsikaris, V., 1123
Sakarellos-Daitsiotis, M. See Tsikaris, V., 1123
Samyn, C. See Parmentier, J., 659
Sano, Y.
Degree of Linear Polarization Method for Determination of Intrinsic Optical Anisotropy of Southern Bean Mosaic Virus, 69
Santucci, A. See Rustici, M., 961
Saroff, H. A.
Individual-Site Binding Data and the Energetics of Protein–DNA Interactions, 1327
Sarvazyan, A. P. See Kharakoz, D. P., 11
Satoh, M.
—; Kato, F.; Komiyama, J.: Specific Helix Stabilization of Poly(L-Glutamic Acid) in Mixed Counterion Systems, 985
Saviano, G. See Tallon, M., 915
Saviano, M. See Di Blasio, B., 621; Zanotti, G., 1083
Scaria, P. V.
—; Craig, J. C.; Shafer, R. H.: Differential Binding of the Enantiomers of Chloroquine and Quinacrine to Polynucleotides: Implications for Stereoselective Metabolism, 887
Schleich, T. See Wang, S. X., 1581
Schmitz, K. S.
On the "Filterable Aggregates and Other Particles" Interpretation of the Extraordinary Regime of Polyelectrolytes, 953
Schneller, W.
—; Weaver, D. L.: Simulation of α-Helix–Coil Transitions in Simplified Polyvaline: Equilibrium Properties and Brownian Dynamics, 1519
Schoemaker, H. E. See Valle, G., 1617
Schulz, W.
—; Sklenar, H.; Hinrichs, W.; Saenger, W.: The Structure of the Left-Handed Antiparallel Amylose Double Helix: Theoretical Studies, 363
Schurr, J. M. See Gebe, J. A., 1757; Kim, U.-S., 1725
Schuster, P. See Fontana, W., 1389
Sciortino, F.
—; Prasad, K. U.; Urry, D. W.; Palma, M. U.: Self-Assembly of Bioelastomeric Structures from Solutions: Mean-Field Critical Behavior and Flory–Huggins Free Energy of Interactions, 743
Scott, P. G. See Otter, A., 1443
Selinger, Z. See Tallon, M., 915
Serdyuk, I. N. See Timchenko, A. A., 1747
Sette, M. See Zecchini, G. P., 437
Sezerman, O. U. See Vajda, S., 173
Sfihi, H.
—; Liquier, J.; Urpi, L.; Verdaguer, N.; Subirana, J. A.; Igolen, J.; Taillandier, E.: A and Z Canonical Conformations in d(C_nGCG_n) Crystals Characterized by MicroFTIR and MicroRaman Spectroscopies, 1715
Shafer, R. H. See Scaria, P. V., 887
Shalongo, W.
—; Heid, P.; Stellwagen, E.: Kinetic Analysis of the Hydrodynamic Transition Accompanying Protein Folding Using Size Exclusion Chromatography. 1. Denaturant Dependent Baseline Changes, 127
—; Jagannadham, M.; Stellwagen, E.: A Reexamination of the Conformational Transitions of T4 Thioredoxin, 903
—; Jagannadham, M.; Stellwagen, E.: Kinetic Analysis of the Hydrodynamic Transition Accompanying Protein Folding Using Size Exclusion Chromatography. 2. Comparison of Spectral and Chromatographic Kinetic Analyses, 135

Shefter, E. See Powers, M. E., 927
Silverman, M. See Brower, R. C., 329
Simonson, T.
—; Kubista, M.: DNA Orientation in Shear Flow, 1225
Singh, T. P. See Padmanabhan, B., 613
Sklenar, H. See Schulz, W., 363
Smidsrød, O. See Christensen, B. E., 151
Smith, J. C. See Durand, D., 725; Thomas, A., 1249
Soldani, P. See Rustici, M., 961
Soman, K. V.
—; Karimi, A.; Case, D. A.: Molecular Dynamics Analysis of a Ribonuclease C-Peptide Analogue, 1567
Sowa, M. J. See McMinn, J. H., 1213
Spatola, A. F. See Ma, S., 1101
Spisani, S. See Zecchini, G. P., 437
Spreafico, A. See Rustici, M., 961
Stadler, P. F. See Fontana, W., 1389
Stellwagen, E. See Shalongo, W., 127, 135, 903
Stevens, A. See Wang, S. X., 1581
Stewart, J. M. See Liu, X., 1237; Otter, A., 769
Steynberg, J. P. See Fronczek, F. R., 275
Stillinger, F. H. See Head-Gordon, T., 293
Stokke, B. T.
—; Elgsaeter, A.; Brant, D. A.; Kuge, T.; Kitamura, S.: Macromolecular Cyclization of (1 → 6)-Branched-(1 → 3)-β-D-Glucans Observed After Denaturation–Renaturation of the Triple-Helical Structure (Research Communication), 193
—; Elgsaeter, A.; Hara, C.; Kitamura, S.; Takeo, K.: Physicochemical Properties of (1 → 6)-Branched (1 → 3)-β-D-Glucans. 1. Physical Dimensions Estimated from Hydrodynamic and Electron Microscopic Data, 561
Sturm, J. See Mayer, P., 1347, 1359
Su, W. See Gregory, R. B., 513, 1871
Subirana, J. A. See Sfihi, H., 1715
Sugiura, M. See Yamada, T., 813
Sulzenbacher, G. See Valle, G., 1617
Sundstrom, J. A. See Kim, U.-S., 1725
Suresh Kumar, T. K. See Krishna, K. G., 1415
Szekerke, M. See Mezö, G., 873

Tabaczynski, W. A.
—; Lemaire, D. G. E.; Ruzsicska, B. P.; Alderfer, J. L.: An NMR and Conformational Investigation of the *trans–syn* Cyclobutane Photodimers of dTpdU, 1365
Taga, T. See Kawai, M., 1207
Taillandier, E. See Sfihi, H., 1715
Tajmir-Riahi, H.
—; Naoui, M.; Ahmad, R.: The Effects of Cu^{2+} and Pb^{2+} on the Solution Structure of Calf Thymus DNA: DNA Condensation and Denaturation Studied by Fourier Transform IR Difference Spectroscopy, 1819
Takashima, S.
—; Asami, K.: Calculation and Measurement of the Dipole Moment of Small Proteins: Use of Protein Data Base, 59
Takeo, K. See Christensen, B. E., 151; Stokke, B. T., 561
Tallon, M.
—; Ron, D.; Halle, D.; Amodeo, P.; Saviano, G.; Temussi, P. A.; Selinger, Z.; Naider, F.; Chorev, M.: Synthesis, Biological Activity, and Conformational Analysis of [pGlu^6, N-MePhe^8, Aib^9] Substance P (6–11): A Selective Agonist for the NK-3 Receptor, 915
Tancredi, T. See Benedetti, E., 1001; Zanotti, G., 1083
Taylor, M. A. See Barnard, K., 897
Teller, D. C. See Kim, U.-S., 1725
Temussi, P. See Benedetti, E., 1001
Temussi, P. A. See Pieroni, O., 1; Tallon, M., 915; Tuzi, A., 1111
Tessari, M.
—; Foffani, M. T.; Mammi, S.; Peggion, E.: Conformation and Interactions of Uteroglobin Fragments 4–14 and 49–65 in Aqueous Solution Containing Surfactant Micelles, 1877
Thomas, A.
—; Roux, B.; Smith, J. C.: Computer Simulations of the Flexibility of a Series of Synthetic Cyclic Peptide Analogues, 1249
Thompson, N. L. See Timbs, M. M., 45
Timbs, M. M.
—; Thompson, N. L.: Measurement of Restricted Rotational Diffusion of Fluorescent Lipids in Supported Planar Phospholipid Monolayers Using Angle-

Dependent Polarized Fluorescence Photobleaching Recovery, 45
Timchenko, A. A.
—; Langowski, J.; Serdyuk, I. N.: Structural Changes in 16S RNA from Escherichia coli upon Unfolding by Urea, 1747
Tobias, I.
—; Olson, W. K.: The Effect of Intrinsic Curvature on Supercoiling: Predictions of Elasticity Theory, 639
Toma, F. See Gilquin, B., 1659
Toniolo, C.
—; Crisma, M.; Formaggio, F.; Valle, G.; Cavicchioni, G.; Precigoux, G.; Aubry, A.; Kamphuis, J.: Structures of Peptides from α-Amino Acids Methylated at the α-Carbon, 1061
Toniolo, C. See Valle, G., 1617
Torrini, I. See Zecchini, G. P., 437
Traniello, S. See Zecchini, G. P., 437
Trigueros, C. See Villanueva, A., 239
Trinajstić, N. See Juretić, D., 255
Tsikaris, V.
—; Detsikas, E.; Sakarellos-Daitsiotis, M.; Sakarellos, C.; Vatzaki, E.; Tzartos, S. J.; Marraud, M.; Cung, M. T.: Conformational Requirements for Molecular Recognition of Acetylcholine Receptor Main Immunogenic Region (MIR) Analogues by Monoclonal anti-MIR Antibody: A Two-Dimensional Nuclear Magnetic Resonance and Molecular Dynamics Approach, 1123
Tsuboi, M. See Ueda, T., 1791
Tuzi, A.
—; Ciajolo, M. R.; Guarino, G.; Temussi, P. A.; Fissi, A.; Pieroni, O.: Solid State and Solution Structure of Boc-L-Ala-ΔPhe-ΔPhe-NHMe: A Dehydropeptide Showing Propensity for 3_{10}-Helices of Both Screw Senses, 1111
Tzartos, S. J. See Tsikaris, V., 1123

Ueda, T.
—; Ushizawa, K.; Tsuboi, M.: Depolarization of Raman Scattering from Some Nucleotides of RNA and DNA, 1791
Uma, K.
—; Kishore, R.; Balaram, P.: Stereochemical Constraints in Peptide Design: Analysis of the Influence of a Disulfide Bridge and an α-Aminoisobutyryl Residue on the Conformation of a Hexapeptide, 865
Uma, K. See Karle, I. L., 401, 827
Umezawa, K. See Fissi, A., 1505
Ürge, L. See Hollósi, M., 497
Urpi, L. See Sfihi, H., 1715
Urry, D. W. See Sciortino, F., 743
Ushizawa, K. See Ueda, T., 1791

Vadász, S. See Hollósi, M., 497
Vajda, S.
—; Jafri, M. S.; Sezerman, O. U.; DeLisi, C.: Necessary Conditions for Avoiding Incorrect Polypeptide Folds in Conformational Search by Energy Minimization, 173
Valle, G.
—; Pantano, M.; Formaggio, F.; Crisma, M.; Toniolo, C.; Précigoux, G.; Sulzenbacher, G.; Boesten, W. H. J.; Broxterman, Q. B.; Schoemaker, H. E.; Kamphuis, J.: Structural Versatility of Peptides from $C^{\alpha,\alpha}$-Disubstituted Glycines: Crystal-State Conformational Analysis of Homopeptides from C^{α}-Methyl, C^{α}ga-Benzylglycine $[(\alpha Me)Phe]_n$, 1617
Valle, G. See Toniolo, C., 1061
Van Buuren, A. R.
—; Berendsen, H. J. C.: Molecular Dynamics Simulation of the Stability of a 22-Residue α-Helix in Water and 30% Trifluoroethanol, 1159
Vandrisse, V. L. See Fields, C. G., 1695
Vasmatzis, G. See Brower, R. C., 329
Vatzaki, E. See Tsikaris, V., 1123
Veber, D. F. See Bogusky, M. J., 1287
Veglia, G. See Zecchini, G. P., 437
Velikson, B. See Bascle, J., 1843
Verdaguer, N. See Sfihi, H., 1715
Vidal, J. See Marraud, M., 1135
Vijayan, M. See Prasad, G. S., 283
Villanueva, A.
—; Cañete, M.; Trigueros, C.; Rodriguez-Borlado, L.; Juarranz, A.: Photodynamic Induction of DNA–Protein Cross-Linking in Solution by Several Sensitizers and Visible Light, 239
Villar, H. O. See Chew, C., 647
Vuilleumier, S.
—; Mutter, M.: Synthetic Peptide and Template-Assembled Synthetic Protein Models of the Hen Egg White Lysozyme 87–97 Helix: Importance of a Protein-Like Framework for Conformational

Stability in a Short Peptide Sequence, 389

Wallace, J. C. See Kim, J.-K., 713

Walters, K. J.
—; Russu, I. M.: Sequence Dependence of Purine C8H Exchange Kinetics in the Dodecamer 5′-d(CGCGAATTCGCG)-3′, 943

Wang, S. X.
—; Stevens, A.; Schleich, T.: Assessment of Protein Rotational Diffusion by ^{13}C Off-Resonance Rotating Frame Spin-Lattice Relaxation: Effect of Backbone and Side-Chain Internal Motion, 1581

Wang, Z.-Y.
—; Zhang, Q.-Z.; Konno, M.; Saito, S.: Sol–Gel Transition of Alginate Solution by the Addition of Various Divalent Cations: ^{13}C-NMR Spectroscopic Study, 703

Weaver, D. L. See Schneller, W., 1519

Weill, G. See Mayer, P., 1347, 1359

Westhof, E. See Fritsch, V., 1537

Wierzchowski, K. L. See Poznański, J., 781

Williams, R. W. See Juretić, D., 255

Wills, P. R.
—; Winzor, D. J.: Thermodynamic Analysis of "Preferential Solvation" in Protein Solutions (Research Communication), 1629

Winzor, D. J. See Wills, P. R., 1629

Wong, T. C. See Zhang, M., 1901

Wunderlich, B. See Roles, K. A., 753

Xenopoulos, A. See Roles, K. A., 753

Xu, R. X.
—; Nettesheim, D.; Olejniczak, E. T.; Meadows, R.; Gemmecker, G.; Fesik, S. W.: ^{1}H, ^{13}C, and ^{15}N Assignments and Secondary Structure of the FK506 Binding Protein When Bound to Ascomycin, 535

Yamada, T.
—; Nakao, M.; Miyazawa, T.; Kuwata, S.; Sugiura, M.; In, Y.; Ishida, T.: Conformational Difference Between Diastereomers of Dnp-Val-Aib-Gly-Leu-pNA Studied by X-Ray Crystal Analyses, 813

Yamamura, H. See Kawai, M., 1207

Yang, L.
—; Keiderling, T. A.: Vibrational CD Study of the Thermal Denaturation of Poly(rA)·Poly(rU), 315

Yokota, K. See Inai, Y., 1173

Yonezawa, N.
—; Kobayashi, K.; Katakai, R.: Chemo- and Stereoregularity Consecutiveness Governing the Specificity in β-Structure/α-Helix Decision for Solid-State Sequential Hydrophobic Polypeptides Predominant to the Directional Tendency of Individual Amino Acid Residues (Research Communication), 1477

Zakrzewska, K. See Boutonnet, N., 479

Zanotti, G.
—; Maione, A.; Rossi, F.; Saviano, M.; Pedone, C.; Tancredi, T.: Bioactive Peptides: Conformational Study of a Cystinyl Cycloheptapeptide in Its Free and Calcium Complexed Forms, 1083

Zecchini, G. P.
—; Paradisi, M. P.; Torrini, I.; Lucente, G.; Gavuzzo, E.; Mazza, F.; Pochetti, G.; Paci, M.; Sette, M.; Di Nola, A.; Veglia, G.; Traniello, S.; Spisani, S.: Synthesis, Conformation, and Activity of HCO-Met-Δ^{Z} Leu-Phe-OMe, an Active Analogue of Chemotactic *N*-Formyltripeptides, 437

Zeegers-Huyskens, T. See Parmentier, J., 659

Zerkout, S. See Marraud, M., 1135

Zhang, M.
—; Wong, T. C.: Solution Conformation Study of Substance P Methyl Ester and [Nle^{10}]-Neurokinin A (4–10) by NMR Spectroscopy, 1901

Zhang, Q.-Z. See Wang, Z.-Y., 703

Zhang, W.
—; Furó, I.: ^{127}I-NMR Studies of Anion Binding to κ-Carrageenan, 1709

Zinn-Justin, S. See Gilquin, B., 1659